Serial No.: 10/560,098 Filed: April 28, 2006

Page : 2 of 6

## Amendment to the Claims

This listing of claims replaces all prior versions and listings of claims in the application.

- 1. (original) A method for producing an antibody wherein the method comprises inhibiting contact between a first light chain (L chain) and a second heavy chain (H chain), which are not linked to a first H chain and a second L chain respectively, and inhibiting contact between a first H chain and a second L chain, which are not linked to a first L chain and a second H chain respectively.
- 2. (original) A method for producing an antibody wherein the method comprises expressing a first pair and a second pair of the antibody at different times.
- 3. (original) A method for producing an antibody, wherein the method comprises the following steps:
  - (a) expressing a first H chain and a first L chain to prepare a first pair of the antibody,
- (b) expressing a second H chain and a second L chain to prepare a second pair of the antibody, and
  - (c) preparing the antibody using the first pair and the second pair.
- 4. (original) A method for producing an antibody wherein the method comprises the following steps:
- (a) inducing the expression of a first H chain and a first L chain to prepare a first pair of the antibody,
  - (b) turning off the induced expression of the first H chain and the first L chain,
- (c) inducing the expression of a second H chain and a second L chain to prepare a second pair of the antibody, and
  - (d) preparing the antibody using the first pair and the second pair.

Serial No.: 10/560,098 Filed: April 28, 2006

Page : 3 of 6

5. (original) The method of any one of claims 1 to 4, wherein the amino acid sequences of the first and the second H chains are different, and the amino acid sequences of the first and the second L chains are different.

- 6. (previously presented) The method of claim 5, wherein the antibody is a bispecific antibody.
- 7. (previous presented) The method of claim 6, wherein the antibody is unlikely to be formed from a combination of just the first pairs or the second pairs.
- 8. (previously presented) The method of claim 7, wherein the antibody which is unlikely to be formed from a combination of just the first pairs or the second pairs is prepared using the knobs-into-holes technique.
- 9. (original) A method for producing an antibody, the method comprising using a vector in which expressions of a first H chain and a first L chain can be induced by a first expression regulator; and a vector in which expressions of a second H chain and a second L chain can be induced by a second expression regulator.
- 10. (original) A method for increasing the specific activity of an antibody composition by increasing the proportion of an antibody that comprises a first pair and a second pair in the antibody composition.
- 11. (original) A method for increasing the specific activity of an antibody composition by expressing a first pair and a second pair of the antibody at different times.
- 12. (original) A method for suppressing the production of antibodies other than an antibody comprising a first pair and a second pair by expressing the first pair and the second pair of the antibody at different times.

Serial No.: 10/560,098 Filed: April 28, 2006

Page : 4 of 6

13. (original) A method for expressing a first pair and a second pair of an antibody at different times, wherein the method comprises using two or more distinct expression inducing agents.

- 14. (previously presented) An antibody produced according to any one of claims 1 to 4 or 9.
- 15. (original) An antibody composition having a high proportion of an antibody comprising a first pair and a second pair, compared to an antibody composition produced by simultaneously expressing a first and a second H chains, and a first and a second L chains.
- 16. (original) The antibody composition of claim 15, wherein the L and H chains of the antibody are not linked by a peptide linker.
- 17. (original) A vector in which expression of an L chain or an H chain of an antibody can be induced by an expression inducing agent.
- 18. (original) A vector kit comprising a vector in which expression of a first L chain and a first H chain of an antibody can be induced by a first expression regulator; and a vector in which expression of a second L chain and a second H chain of the antibody can be induced by a second expression regulator.
  - 19. (original) A cell comprising a vector of claim 17 or 18.
- 20. (original) A cell capable of expressing a first pair and a second pair of an antibody at different times.
  - 21. (previously presented) An antibody produced according to claim 5.

Serial No.: 10/560,098 Filed: April 28, 2006

Page : 5 of 6

22. (new) The method of claim 2, the method further comprising using a vector in which expressions of a first H chain and a first L chain can be induced by a first expression regulator; and a vector in which expressions of a second H chain and a second L chain can be induced by a second expression regulator.